

# RHINO-RACK

CATALOG

February 2017



# RHINO-RACK HAS BEEN CREATING WORLD-CLASS ROOF RACKS SINCE 1992.

**Today we're the the proud owner of the world's most diverse and innovative range of roof rack products, supplying high quality gear to all industry segments.**

## We're there for the contractors.

When you need reliable gear that works as hard as you do, look no further than our massive range of Heavy Duty roof racks, ladder racks, trays, conduits and more.

## We're there for the sportsmen.

Loading your bikes, kayaks, canoes, skis and snowboards has never been easier - meaning we help you get out on the trail, water or slopes quicker than ever before.

## We're there for the sun-seekers and nature lovers.

Indulge your taste for adventure with a Rhino-Rack Foxwing Awning, boat loader, luggage basket or fishing-rod holders. Everything the camper needs for the ultimate getaway.

## We're there for the environment.

We think nature is pretty awesome. And if we don't take care of it, our kids and grandkids might not be able to do all the camping, biking, skiing and surfing that we do. So we're committed to minimizing our environmental impact across every aspect of the Rhino-Rack business.

## Most of all, we're there for the customer.

We're there to offer expert advice, help you choose the perfect roof rack product, and guide you on the best way to fit it to your vehicle.



**THE MIDDLE OF NOWHERE IS  
NOT AS FAR AS YOU THINK.**



## ROOF RACK SYSTEMS

06 Rail Mount  
07 2500 Removable  
08 Gutter Mount  
09 Fix Point Mount  
10 Track Mount  
11 Tracks  
12 Ditch Bracket  
14 Rhino-Rack Backbone Jeep  
15 Rhino-Rack Backbone FJ Cruiser  
16 Rhino-Rack Backbone Land Cruiser  
17 Rhino-Rack Backbone Prado 150  
18 Rhino-Rack Backbone 4 Runner  
18 Rhino-Rack Backbone Tacoma  
19 Rhino-Rack Backbone Discovery 4  
20 Cap/Toppers  
23 Spacers  
25 Masterkey

## ACCESSORIES

28 Pioneer Tray  
29 Pioneer Elevation  
30 Pioneer Platform

31 Pioneer Platform Rails  
31 Pioneer Accessory Bars  
32 Universal Pioneer Platform  
34 Pioneer Accessories  
38 Alloy Trays  
39 Alloy Tray Accessories  
40 Xtray  
40 Luggage Bags  
41 Steel Mesh Platform  
41 Steel Mesh Baskets  
42 Locking Tie Down Straps  
43 Tie Down Straps  
44 Rooftop Boxes  
48 Foxwing Awning  
48 Foxwing Eco Awning  
49 Sunseeker Awning  
50 Dome Awning  
51 Base Tent  
54 Awning Accessories  
56 Camping Chair and Stretcher  
57 Led Lighting  
59 Kayak Carriers  
61 SUP & Kayak Accessories  
62 Kayak Loaders

65 Boat Loaders  
66 Fishing Rod Carriers  
67 Snowboard & Ski Carriers  
68 Roof Mounted Bike Carriers  
70 Rear Mounted Bike Carriers  
71 Bike Carrier Accessories

## TRADESMEN/CONTRACTOR

72 Ladder Racks  
74 Securing  
75 Conduits  
76 Brackets



## CROSS BAR OPTIONS

### VORTEX [VA]

COLOR



#### PERFECT FOR:

Recreational and commercial use. This is the most versatile crossbar on the market

- SECURECORE™ locking endcaps included.
- Masterkey™ compatible
- Strong and durable for offroad and commercial use
- Suits most load carrying accessories on the market
- Vortex Generating Strip (VGS) is included
- Extruded structural aluminum curved to suit the contour of your roof



MASTERKEY COMPATIBLE


#### BAR LENGTHS AVAILABLE:

419.3", 464.6", 496.1", 541.3", 590.6", 649.6", 708.7", 787.4"



### HEAVY DUTY [HD]

COLOR



#### PERFECT FOR:

Commercial accessories e.g. ladder racks

- Designed for heavy duty use
- Extruded structural aluminium
- Strong and durable for offroad and commercial use
- Large range of commercial carrying solutions available
- Rubber strips included

#### BAR LENGTHS AVAILABLE:

440.9", 492.1", 541.3", 590.6", 649.6", 708.7", 787.4", 944.9"

### EURO

COLOR



#### PERFECT FOR:

Light duty load carrying

- Fits 2500 leg system
- Light-weight quality materials
- Accessories available
- Not suitable for offroad or heavy duty commercial use
- Available in black

# STEALTHBAR™



The Rhino-Rack Vortex StealthBar™ is a low profile roof rack system for use with factory raised rails. It features adjustable legs, co-molded stainless steel / rubber locking straps to suit all size rails and comes preassembled for easy installation.

## FEATURES:

- Maximum load capacity is 176lbs\*
- Low profile, sits 1.4" above rails
- Steel locks included
- Compatible with all Vortex bar accessories

- 3.9" of adjustability
- **VGS™** rubber for low noise
- Locking straps available to suit rails of all sizes
- Contoured to follow your vehicle's roof
- Simple DIY installation

1



3.9" of adjustability

2




Compatible with Vortex accessories

3



Contoured Vortex bar

4



**VGS™** rubber for low wind noise

5



Available in black and silver bars



\* Refer to the vehicle manufacturers manual

## RAIL



### STEALTHBAR

MASTERKEY COMPATIBLE



SUITS   



### VORTEX SX

- Suitable for raised factory rails
- Quick installation
- Engineered fit
- Security fasteners
- Minimal wind noise



SUITS   



### VORTEX SX

MASTERKEY COMPATIBLE



SUITS   



### CXB

- Factory Rails
- Quick installation
- Security fasteners



SUITS   

REMOVABLE



### EURO 2500

MASTERKEY COMPATIBLE

- Quick to install
- Perfect DIY Kit
- Key locks included
- Engineered fit
- Vehicle specific pad and clamp design
- Gutterless mounting
- Installation tools included
- Economical
- Load rating 132lbs <sup>Δ</sup>



### VA 2500

MASTERKEY COMPATIBLE

- Quick to install
- Perfect DIY Kit
- Engineered fit
- Key locks included
- Vehicle specific pad and clamp design
- Gutterless mounting
- Installation tools included
- 50% reduced load capacity for Offroad
- Overhang for maximum load area
- Large range of accessories
- Load rating 165lbs <sup>Δ</sup>



### HD 2500

MASTERKEY COMPATIBLE

- Quick to install
- Perfect DIY Kit
- Key locks included
- Engineered fit
- Vehicle specific pad and clamp design
- Gutterless mounting
- Installation tools includes
- 50% reduced load capacity for Offroad
- Ideal for ladder loaders
- Overhang for maximum load area
- Load rating 165lbs <sup>Δ</sup>



### 2500 RS

MASTERKEY COMPATIBLE

- Quick to install
- Perfect DIY Kit
- Engineered fit
- Key locks included
- Vehicle specific pad and clamp design
- Gutterless mounting
- Installation tools included
- Slick design with no overhang
- Load rating 165lbs <sup>Δ</sup>

<sup>Δ</sup> 50% reduced load capacity for Offroad

## GUTTER



### SG GUTTERMOUNT LEG

- Easy to install / remove
- Suitable for light off-road use
- Compatible with a wide range of accessories

SUITS



### RL GUTTERMOUNT LEG

- Heavy duty legs to fit to gutter mounts
- Heights available 4.3", 5.9", 8.3", 11"

SUITS



### HIGH ROOF GUTTERMOUNT

- Removable
- Easy to install / remove
- Suitable for light off-road use
- Compatible with a wide range of accessories

SUITS



### RLTF

- Sleek in design
- Strong and durable
- Compatible with a wide range of accessories
- Precision fitment parts for your vehicle
- Offers level bars across your vehicle's roof

SUITS



### RLCP

- Fits factory mounting points - vehicle specific
- Molded, contoured base

SUITS



### 2500 FMP

- Specifically molded to fit the contours of your vehicle's roof
- Also available with bar overhang
- Lockable legs for added security
- Glass Reinforced Nylon legs
- Suitable for light off-road use

SUITS



### RSP

- Specifically molded to fit the contours of your vehicle's roof
- Available in two different heights
- Lockable legs for added security
- Compatible with a range of accessories
- Suitable for heavy off-road use
- Vehicle specific fitments only

SUITS

## TRACKS



### RLT600

- Simple, secure, removable
- Single person operation
- Ideal for low clearance
- Simple trigger locking system for quick attachment
- Lockable cover plate with Masterkey™ compatibility
- Maximum load capacity across 2 bars is 220lbs (always refer to the vehicle manual)
- Lifetime Warranty

SUITS



### RLT500

- Compatible with the RTC and RTS tracks.
- Position your roof rack system along the track
- The legs are sold as a pair.

SUITS



### RLTF/RLTP

- Low profile
- Solid 2 bolt design
- Proven over 20 years
- Available in 31.5" or 19.7" heights
- For Rhino-Rack tracks only
- High strength/heavy offroad use

SUITS



### RSPT

- Flush bars with no overhang
- Stylish design
- Strong and built to last
- Suitable for heavy off-road use
- Compatible with a wide range of accessories
- Lifetime Warranty

SUITS



Image shows RTS Track



### RTV TRACK

- Flat bottomed track designed to sit on the roof of a vehicle
- The most versatile track option
- Sold as a pair.
- Rivets and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to [www.rhinorack.com](http://www.rhinorack.com)



### RTC TRACK

- Made for Canopies
- Sold as a pair.
- T-bolts and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to [www.rhinorack.com](http://www.rhinorack.com)



### RTS TRACK

- Unique track made for specific vehicles
- Sold as a pair.
- Rivets and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to [www.rhinorack.com](http://www.rhinorack.com)



### RT TRACK

- Flat bottomed track designed to sit on the roof of a vehicle
- The most versatile track option
- Sold as a pair.
- Rivets and end caps included
- Suits RLTP/F, RLT600, RLT500 legs

For specific vehicle track listings go to [www.rhinorack.com](http://www.rhinorack.com)

## MAXIMUM ON/OFF ROAD CARRYING CAPACITY

Tracks are our specialty. We have a range of tracks so please contact your Rhino-Rack dealer or log on to [www.rhinorack.com](http://www.rhinorack.com) for the best option for you.

### Just some of the vehicles we have tracks for:

Canopy / Hard Tonneau Track Mount  
Ford Ranger PX  
Holden Colorado  
Hyundai iLoad  
Isuzu D-MAX  
Isuzu MU-X  
Jeep Wrangler  
Mazda BT50  
Mercedes Sprinter  
Mitsubishi Challenger

Mitsubishi Triton  
Mitsubishi Pajero  
Nissan Navara  
Nissan Pathfinder  
Range Rover  
Toyota Hilux  
Toyota Landcruiser  
Toyota Prado  
Toyota Rav 4  
Toyota 4 Runner  
Toyota Tacoma  
VW Transporter

DITCH



We now have a specialized option for those hard to fit vehicles.

Ditch Brackets provide fixed mounting points to attach roof racks with the highest load capacity for a vehicle\*. It is a sleek, clean fit that can be used in conjunction with a range of roof racks.

Ditch Brackets require a specialized fit. Please contact your local Rhino-Rack dealer for more information or to organize a fitment.

\*Please refer to the vehicle manufacturer's handbook for specific vehicle load ratings.



# RHINO-RACK BACKBONE



**INCREASE YOUR  
JEEP'S LOAD RATING  
UP TO 800LBS  
WITH THE RHINO-RACK  
BACKBONE SYSTEM**



# JEEP JK/JKU

RHINO-RACK  
BACKBONE



SYSTEM INCLUDES: Pioneer Platform, Rhino-Rack BACKBONE, RLT600 Leg Set, Leg Height Spacers

SYSTEM INCLUDES: Pioneer Tradie, Rhino-Rack BACKBONE, RLCP38 Leg Set, Leg Height Spacers

Pioneer System	Pioneer Platform	Pioneer Elevation
Product Image		
Features	Low Profile	Fixed Side Rails
Mount Type	RLT600 or RLCP38/RLCP39	RLT600 or RLCP38/RLCP39
<b>JEEP Wrangler JK 4dr 4WD Hard Top 07/ On</b>		
Sizes	1828x1426mm / 72x56"	1828x1426mm / 72x56"
RLT600 Load Rating	Static 360kgs / 800lbs Onroad 120kgs / 264lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 264lbs Offroad 80kgs / 175lbs
<b>JEEP Wrangler JK 2dr 4WD Hard Top 07/ On</b>		
Sizes	1328x1426mm / 52x56"	1328x1426mm / 52x56"
RLT600 Load Rating	Static 240kgs / 530lbs Onroad 100kgs / 220lbs Offroad 67kgs / 148lbs	Static 240kgs / 530lbs Onroad 100kgs / 220lbs Offroad 67kgs / 148lbs

NB: The height difference between the RLT600 Leg and the RLCP38/39 is 40mm

THE RHINO-RACK  
BACKBONE IS THE  
NEXT LEVEL OF  
STYLE AND STRENGTH



# TOYOTA TACOMA



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Elevation
<b>Product Image</b>			
<b>Features</b>	Low Profile	Fixed Rails	Fixed Side Rails
<b>Mount Type</b>	Rhino-Rack Backbone / RLT600	Rhino-Rack Backbone / RLT600	Rhino-Rack Backbone / RLT600
<b>Sizes Available</b>			
	2128x1426mm / 84"x56" 2128x1236mm / 84"x49"	2000x1330mm / 79"x52" 2000x1140mm / 79"x44"	2128x1426mm / 84"x56" 2128x1236mm / 84"x48"
<b>Tacoma</b>			
<b>Rhino-Rack Backbone Load Rating</b>	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb
<b>RLT600 Load Rating</b>	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb

# TOYOTA 4 RUNNER



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Elevation
<b>Product Image</b>			
<b>Features</b>	Low Profile	Fixed Rails	Fixed Side Rails
<b>Mount Type</b>	Rhino-Rack Backbone / RLT600	Rhino-Rack Backbone / RLT600	Rhino-Rack Backbone / RLT600
<b>Sizes Available</b>	2128x1426mm / 84"x56" 2128x1236mm / 84"x49"	2000x1330mm / 79"x52" 2000x1140mm / 79"x44"	2128x1426mm / 84"x56" 2128x1236mm / 84"x48"
<b>4 RUNNER</b>			
<b>Rhino-Rack Backbone Load Rating</b>	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb
<b>RLT600 Load Rating</b>	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb	Static: 320kg / 705lb Onroad: 100kg / 220lb Offroad: 66kg / 145lb



## TOYOTA LANDCRUISER



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Elevation
<b>Product Image</b>			
<b>Features</b>	Low Profile	Fixed Rails	Fixed Side Rails
<b>Mount Type</b>	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP
<b>Sizes Available</b>	2128x1236mm / 84"x49" 2128x1426mm / 84"x56"	2000x1140mm / 79"x45" 2000x1330mm / 79"x52"	2128x1236mm / 84"x49" 2128x1426mm / 84"x56"
<b>TOYOTA Land Cruiser 4dr 4WD 200 Series 11/07 On</b>			
<b>Rhino-Rack Backbone Load Rating</b>	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs
<b>RLT600 Load Rating</b>	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb
<b>RLCP17 Load Rating</b>	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb	Onroad: 150kg / 330lb Offroad: 100kg / 220lb
<b>TOYOTA Land Cruiser 4dr 4WD 100 Series 03/98 to 10/07</b>			
<b>RLCP02 Load Rating</b>	Onroad: 120kg / 265lb Offroad: 80kg / 176lb	Onroad: 120kg / 265lb Offroad: 80kg / 176lb	Onroad: 120kg / 265lb Offroad: 80kg / 176lb

# TOYOTA PRADO



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Elevation
<b>Product Image</b>			
<b>Features</b>	Low Profile	Fixed Rails	Fixed Side Rails
<b>Mount Type</b>	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP	Rhino-Rack Backbone / RLT600 / RLCP
<b>Sizes Available</b>	2128x1236mm / 84"x49"	2000x1140mm / 79"x45"	2128x1236mm / 84"x49"
<b>TOYOTA Prado 150 Series 5dr 4WD 11/09 On</b>			
<b>Rhino-Rack Backbone Load Rating</b>	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs
<b>RLT600 Load Rating</b>	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb
<b>RLCP23 Load Rating</b>	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb
<b>TOYOTA Prado 120 Series 5dr 4WD 03/03 to 11/09</b>			
<b>RLCP03 Load Rating</b>	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb	Onroad: 100kg / 220lb Offroad: 67kg / 148lb

FEATURING A  
LOW PROFILE  
DESIGN,  
THE RHINO-RACK  
BACKBONE INCREASES  
THE LOAD RATING OF  
YOUR VEHICLES ROOF



# TOYOTA FJ CRUISER



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Elevation
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone or RLCP	Rhino-Rack Backbone or RLCP	Rhino-Rack Backbone or RLCP
Sizes Available	2128x1236mm / 83"x48" 2128x1426mm / 83"x56"	2000x1330mm / 79"x52" 2000x1140mm / 79"x45"	2128x1236mm / 83"x48" 2128x1426mm / 83"x56"
<b>TOYOTA FJ Cruiser 2dr 4WD 06/On</b>			
Rhino-Rack Backbone Load Rating	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs	Static 360kgs / 800lbs Onroad 120kgs / 265lbs Offroad 80kgs / 175lbs
RLCP25 Load Rating	Onroad: 70kg / 154lb Offroad: 47kg / 103lb	Onroad: 70kg / 154lb Offroad: 47kg / 103lb	Onroad: 70kg / 154lb Offroad: 47kg / 103lb



Pioneer System	Pioneer Platform	Pioneer Trays	Pioneer Elevation
Product Image			
Features	Low Profile	Fixed Rails	Fixed Side Rails
Mount Type	Rhino-Rack Backbone / RLT	Rhino-Rack Backbone / RLT	Rhino-Rack Backbone / RLT
<b>Sizes Available</b>			
2128x1426mm / 84"x56"		2000x1330mm / 79"x52"	2128x1426mm / 84"x56"
2128x1236mm / 84"x49"		2000x1140mm / 79"x44"	2128x1236mm / 84"x48"
<b>LAND ROVER Discovery 3 / 4 4dr 4WD 04/05 On</b>			
<b>Rhino-Rack Backbone Load Rating</b>	Static 360kgs / 800lbs Onroad 100kgs / 220lbs Offroad 66kgs / 145lbs	Static 360kgs / 800lbs Onroad 100kgs / 220lbs Offroad 66kgs / 145lbs	Static 360kgs / 800lbs Onroad 100kgs / 220lbs Offroad 66kgs / 145lbs
<b>RLT Load Rating</b>	zlbs Offroad 66kgs / 145lbs	Static 360kgs / 800lbs Onroad 100kgs / 220lbs Offroad 66kgs / 145lbs	Static 360kgs / 800lbs Onroad 100kgs / 220lbs Offroad 66kgs / 145lbs

# CAP/TOPPERS

CAP/TOPPER

## WE SPECIALIZE IN ROOF RACKS TO SUIT THE MOST POPULAR CAP/TOPPERS ON THE MARKET.

Our Engineering team tests each canopy to ensure they are fitted with the strongest, most suitable option.



### COMPLETE KITS



**PART NO:** YO1-470/B: 50"/1270mm bar  
YO1-480/B: 54"/1370mm bar  
YO1-490/B: 59"/1500mm bar

- HD Bar
- Available in silver or black



**PART NO:** YO2-110/B: 50"/1270mm bar  
YO2-120/B: 54"/1370mm bar  
YO2-130/B: 59"/1500mm bar

- VA Bar
- Available in silver or black



**PART NO:** YO3-310/B: 50"/1270mm bar  
YO3-320/B: 54"/1370mm bar  
YO3-330/B: 59"/1500mm bar

- VA Bar
- Available in silver or black



**PART NO:** YO4-240/B: 50"/1270mm bar  
YO4-250/B: 54"/1370mm bar  
YO4-260/B: 59"/1500mm bar

- HD Bar
- Available in silver or black



**PART NO:** YO1-120NT: 54"/1370mm bar  
YO1-130NT: 59"/1500mm bar

- HD Bar
- No Track for fit to competitive track



**PART NO:** YO2-480NT: 54"/1370mm bar  
YO2-490NT: 59"/1500mm bar

- VA Bar
- No Track for fit to competitive track



**PART NO:** YO5-450: 37"/940mm bar  
YO5-450: 44"/1120mm bar

- Sportz Bar
- No overhang



**PART NO:** YO6-550: 37"/940mm bar  
YO6-560: 44"/1120mm bar

- Sportz Bar
- No overhang
- Trackmount

Image showing **PART NO:** RFMC

## FIXED MOUNT

**PART NO:** RFMPS

Our Fixed Mount is secured on the canopy roof with the GE backing plate (included). Only suitable for lighter loads. Legs are available in 1.9" and 3.1" height.



## CABIN MOUNT

**Image showing PART NO:** RFMRL

The Cabin Mount is fixed to the roof providing the platform for any height Rhino-Rack Heavy Duty Gutter Mount leg. This is the ideal solution for cabin bars that need to match high roof canopies.



## FIXED MOUNT

**Image showing PART NO:** RFMC2

Swivel base allows fitting with a wider variety of roof shapes including flat, angled and curved. High profile design, ideal for highly curved roofs or levelling bars. Suitable for heavy off-road use.



## FIXED MOUNT

**Image showing PART NO:** RFMPS2

Low profile design makes for a great look on your roof. Strong and built to last. Compatible with a wide range of accessories.



## QM MOUNT

**Image showing PART NO:** QMCM01

The internal backing mounts used to fit a Quick Mount RLT600 leg to a canopy. Suitable for 2 bars, 4 mounts included. For fibreglass canopies.



## ARTIFICIAL GUTTER

**Image showing PART NO:** 739A, 739AHALF

Artificial Gutters will allow the use of traditional roof rack crossbars on fibre glass or metal canopies. Only suitable for lighter loads.



## TJM TRACK LEG

Fits directly to the factory fitted track supplied with early model TJM Canopies.

**PART NO:** RLT504



## NEED TO LEVEL THINGS OUT? THE BENEFIT OF LEG HEIGHT SPACERS

Perfect for creating more height or for leveling your roof rack crossbars



Rhino-Rack offers a wide variety of leveling spacers that simply connect onto the leg. The spacers can range from 0.2-1.2" in height and fit to a wide variety of our leg types. They also fit neatly in one another to provide a seamless finish and style to the vehicle.


The roof of a vehicle as in most cases has a subtle or dramatic curve from front to rear. When fitting three or more crossbars to a vehicle there is the challenge of maintaining a level working surface. Crossbars that are not level cause serious problems when loading and unloading not to mention they do not distribute the weight evenly onto the roof of the vehicle. This can become a safety concern.



Image shows a 2500 fitment

Available for VA and HD bars

**ROOF RACKS THAT  
ARE NOT LEVEL CAN  
RESULT IN SERIOUS  
SAFETY ISSUES**





## SPACER COMPATIBILITY CHART

PART#	DESCRIPTION	BAR TYPE	LEG TYPE
LHS-A1PAIR	2 x 0.4" Leg Height Spacers Incl: 2 x M6 x 1.8" Bolts	VA	RL, RLCP, RLTP, RLTF
LHS-A2PAIR	4 x 0.4" Leg Height Spacers Incl: 2 x M6 x 2.2" Bolts	VA	RL, RLCP, RLTP, RLTF
LHSPAIR	2 x 0.4" Leg Height Spacers Incl: 2 x M10 x 1.4" Bolts	HD	RL, RLCP, RLTP, RLTF
LHS2PAIR	4 x 0.4" Leg Height Spacers Incl: 2 x M10 x 1.8" Bolts		
LHS-10 Pack	10 x 0.4" Leg Height Spacers Incl: 10 x M10 x 1.4" Bolts	HD	RL, RLCP, RLTP, RLTF
LHSPIV	Pivoting Leg Height Spacer Incl: 4 Adapters in Kit	HD	RL, RLCP, RLTP, RLTF
CXBS1	0.2" CXB Spacer Set	HD	CXB
CXBS2	0.5" CXB Spacer Set		
CXBS3	0.7" CXB Spacer Set		
CXBS4	0.9" CXB Spacer Set		
RLKS1	2 x 0.4" Spacer Blocks	VA	RLK 2500
RLKS2	4 x Spacer Blocks max height 0.7"		
RLKS3	6 x Spacer Blocks max height 1"		
RLKS4	8 x Spacer Blocks max height 1.3"		
RLKS5	10 x Spacer Blocks max height 1.7"		
QMHD05	4 x Spacer Blocks max height 0.2"	HD	RLT600
QMVA05		VA	
QMW05	0.2" Quick Mount Base Wedge		
QMHD10	4 x Spacer Blocks max height 0.4"	HD	RLT600
QMVA10		VA	
QMW10	0.4" Quick Mount Base Wedge		
QMHD15	4 x Spacer Blocks max height 0.6"	HD	RLT600
QMVA15		VA	
QMHD20	4 x Spacer Blocks max height 0.8"	HD	RLT600
QMVA20		VA	
QMHD25	4 x Spacer Blocks max height 1"	HD	RLT600
QMVA25		VA	
QMHD30	4 x Spacer Blocks max height 1.2"	HD	RLT600

## PIONEER

**PART NO: PLHS1****PART NO: PLHS2****PART NO: PLHSPAIR****PART NO: PLHS3****PART NO: QMPLHS01**

NB: each kit includes 8 spacers to add an extra 0.8"



The Pioneer Leg Height Spacers are used to level a Pioneer system on a vehicle. These spacers can raise the height of the Pioneer by 2.9" overall. This allows each of the Pioneers to fit a wider range of vehicles, with the option of choosing a narrower or wider tray/platform. It also enables you to level the crossbars across your vehicle. For details on the rail that best suits your tray, talk to your local Rhino-Rack dealer or go to [www.rhinorack.com.au](http://www.rhinorack.com.au)



The Rhino-Rack Masterkey system allows you to upgrade the locks in your Rhino-Rack roof racks & accessories to eliminate carrying multiple keys. Available in 2, 4 & 8 barrel packs. Each pack contains 2 moulded Masterkeys in blue for easy identification.

#### KEY FEATURES

The Rhino-Rack Master Key is a one key system that fits most Rhino-Rack products.

#### Features:

- 1 One key for all your Rhino-Rack products
- 2 Simply replace the lock barrels in all your Rhino-Rack products
- 3 Eliminate the hassle of carrying multiple keys
- 4 Barrel sets available in 2, 4 & 8 packs



#### COMPATIBLE PRODUCTS:

Roof Rack	2500 System, RLT600, SRB Leg, VA-SEC2/4
Watersport	580, 581
Ski Carrier	572U, 574U, 576U
Bike Carrier	RBC035, RBC036, RBC050
Securing	RTD35L, RTD45L, RTD55L, 43205, 43206, 43207, 43208, 43209, 43210
Other	Conduit Locking End Cap

ACCESS ALL AREAS WITH OUR

# COMPLETE RANGE OF ACCESSORIES





## ROOF TRAYS



### PIONEER TRAY

OFFROAD  
PROVEN PRODUCT



- Structural grade aluminum
- Welded rails
- Alloy front wind fairing
- Tried and proven flexible glass re-enforced nylon components
- 5 year warranty
- Black powder coated finish for improved appearance and corrosion resistance
- Full range of accessories available

PART NO.	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT
41100	1520 x 1260mm/59" x 49"	1400 x 1140mm/55" x 45"	25kg/55lb
41101	1520 x 1400mm/59" x 55"	1400 x 1280mm/55" x 50"	29kg/64lb
41102	1920 x 1260mm/75" x 49"	1800 x 1140mm/71" x 45"	32kg/70lb
41103	1920 x 1400mm/75" x 55"	1800 x 1280mm/71" x 50"	37kg/81lb
41104	2120 x 1450mm/83" x 57"	2000 x 1330mm/79" x 52"	39kg/86lb
41107	2120 x 1260mm/83" x 49"	2000 x 1140mm/ 79" x 45"	33kg/72lb

NB: Rhino-Rack leg kits to suit specific vehicles are sold separately. Visit our website for new model listings.

FOR A FULL RANGE OF ACCESORIES GO TO PAGE 38



## PIONEER ELEVATION

OFFROAD  
PROVEN PRODUCT



The Pioneer Elevation is the ideal solution for those who need to carry a wide variety of gear on their roof. With its open front and rear you can easily load ladders, pipes or long objects and support against sides.

- Open front and rear
- Structural grade aluminum
- Welded rails
- Designed to minimize wind and noise on the road
- Non corrosive so it won't rust or fade
- Made from strong and durable materials
- Full range of Rhino-Rack accessories

*NB: Rhino-Rack leg kits to suit specific vehicles are sold separately.*

FOR A FULL RANGE OF ACCESORIES GO TO PAGE 38

PART NO.	SIZE (EXTERNAL)	WEIGHT
45100B	1528 X 1236mm/61" x 48"	21.5kg/47lb
45101B	1528 X 1376mm/61" x 54"	24.5kg/54lb
45102B	1928 X 1236mm/76" x 48"	27.5kg/60lb
45103B	1928 X 1376mm/76" x 54"	32kg/70lb
45104B	2128 X 1426mm/84" x 56"	35kg/77lb
45107B	2128 X 1236mm/84" x 48"	30.5kg/67lb
45108B	1426 X 1828mm/72" x 56"	31kg/68lb
45109B	1236 X 1328mm/52" x 48"	24kg/53lb
45110B	1376 X 1328mm/52" x 54"	27kg/59lb
45111B	1426 X 1328mm/52" x 56"	27kg/59lb

ROLLERS	PART NO.	LENGTH
	43129	42.1"
	43130	47.6"
	43131	49.6"
	43176	51.1"

## ROOF TRAYS



## PIONEER PLATFORM



- Low Clearance
- Easy assembly
- Structural grade aluminum
- Black powder coated finish and corrosion resistant
- Most versatile platform on the market
- Cross bars built in
- Optional rail systems available
- Largest range of accessories to suit

### FACTORY RAIL FIT AVAILABLE



NB: Rhino-Rack leg kits and SX leg kits suit specific vehicles & are sold separately. Contact your local dealer or visit our website for model listings.

PART NO.	SIZE (EXTERNAL)	WEIGHT
42100B 44100B	1528 x 1236mm/61" x 48"	20kg/44lb
42101B 44101B	1528 x 1376mm/61" x 54"	23kg/51lb
42108B	1828 x 1426mm/72" x 56"	25.5kg/56lb
42102B 44102B	1928 x 1236mm/76" x 48"	26.5kg/58lb
42103B 44103B	1928 x 1376mm/76" x 54"	31kg/68lb
42104B	2128 x 1426mm/84" x 56"	34kg/75lb
42105B	2728 x 1465mm/107" x 58"	38kg/83lb
42107B	2128 x 1236mm/84" x 48"	27.5kg/60lb
42108B	1828 x 1426mm/72" x 56"	25.5kg/56lb
42109B	1328 x 1236mm/52" x 48"	22kg/48lb
42110B	1328 x 1376mm/52" x 54"	24kg/53lb
42111B	1328 x 1426mm/52" x 56"	24kg/53lb
42112B	928 x 1426mm/36" x 56"	18kg/40lb

FOR A FULL RANGE OF ACCESSORIES GO TO PAGE 38

# PIONEER RAILS

(SOLD SEPARATELY)

OPTIONAL SIDE RAILS ALLOWS YOU TO  
CONFIGURE YOUR PLATFORM IN THE  
BEST WAY TO SUIT YOUR LOAD



Rails can be mounted to all planks in any location with our "C" channel mounting system.

We have rails to suit all sizes of Pioneer Platforms. For details on the rail that best suits your tray, talk to your local Rhino-Rack dealer or go to [www.rhinorack.com](http://www.rhinorack.com)

# PIONEER ACCESSORY BAR



PART NO.	LENGTH	ACCESSORIES TO SUIT
43119B	1220mm/48" Black	HD Channel
43120B	1360mm/53" Black	HD Channel
43137B	1220mm/48" Black	VA Channel
43138B	1360mm/53" Black	VA Channel

## ROOF TRAYS



Accessory C Channels to mount all your favorite Pioneer accessories



Universal clamp mount included



C Channel mount also included



# The Pioneer Platform **now fits more vehicles.**


Our universal clamping system means that you can fit Rhino-Racks most popular luggage tray to any roof rack.

- Universal Clamping system to suit the most popular roof racks on the market
- Low Clearance
- Easy assembly
- Structural grade aluminum
- Black powder coated finish and corrosion resistant
- Most versatile platform on the market
- Optional rail systems available
- Largest range of accessories to suit

PART NO.	SIZE (EXTERNAL)	WEIGHT
42115BF	1478 x 1184mm/58" x 46"	14kg/30lb
42114BF	1228 x 952mm/48" x 37"	12kg/26lb



## JERRY CAN HOLDERS



### FLAT

**PART NO:** 43153

- Powder coated steel structure
- Corrosion resistant
- Carries 1 jerry can flat
- Suits the Pioneer Platform, Pioneer Tradie, Pioneer Tray
- Off-road proven
- Locking cables to secure your jerry cans
- Suits most 20L metal or plastic jerry cans



## DOUBLE JERRY CAN HOLDERS



### VERTICAL

**PART NO:** 43151

- Carries 2 jerry cans vertically
- Suits the Pioneer Platform, Pioneer Tradie, Pioneer Tray
- Off-road proven
- Locking cables to secure your jerry cans
- Suits most 20L and 10L metal or plastic jerry cans




### HORIZONTAL

**PART NO:** 43152

- Carries 2 jerry cans horizontally
- Suits the Pioneer Platform, Pioneer Tradie, Pioneer Tray
- Off-road proven
- Locking cables to secure your jerry cans
- Suits most 20L metal or plastic jerry cans

## RECOVERY TRACK BRACKET




### SIDE ANGLED

**PART NO:** 43159

- Mount your Maxtrax to the side of most Rhino-Rack Pioneer range at a 75 degree angle
- Recommended number of Maxtrax fitted is 2

If fitting 3 or 4, the Pioneer Maxtrax Support Bracket Part No: 43197 is required



#### Note:

- To mount your **Maxtrax** to this bracket, an additional Maxtrax Mounting Pin Set (MTX MPS) is required
- To mount **other branded** recovery tracks our Recovery Straps (#43199) is required



### FLAT

**PART NO:** 43158

- Mount your Maxtrax on most of the Rhino-Rack Pioneer range
- Made from strong 0.1" stainless steel
- Corrosion resistant with Black Powder Coating
- Recommended number of Maxtrax fitted is 2

## CABLE CORE LOCKDOWN



## VA BAR & PIONEER

**PART NO: 43205 - 23.6"**

**PART NO: 43206 - 47.2"**

**PART NO: 43207 - 70.9"**

- Suits the Pioneer range and Vortex Bars
- 8mm (0.3") PVC coated steel wire with zinc protection provides security for your valuables.
- Available in 3 different lengths



## HD BAR

**PART NO: 43208 - 23.6"**

**PART NO: 43209 - 47.2"**

**PART NO: 43210 - 70.9"**

- Suits a Rhino-Rack Heavy Duty crossbars

## LED LIGHT BRACKET



## PIONEER

**PART NO: 43173**

- Suits Rhino-Rack Pioneer Platforms and Pioneer Elevation on all sides and the Pioneer Tray on the rear and sides
- Suits most LED Light Bars
- Made from strong, non-corrosive powder coated steel
- Mount your LED light level with the top of the platform for minimal interference with your load

## VORTEX/HD BAR

**PART NO: 43174**

- Supports LED light bars up to 17lbs
- Suits a range of crossbars including Rhino-Rack Vortex and Heavy Duty, as well as Whispbar HD and ROLA HD
- Can be secured to either the top or bottom of the Crossbar

## PICK UP KIT



## RATCHET

**PART NO: 43175**

- Suits Pioneer range
- 2 ratchet straps (72.8") included
- 4x moldings (mounting blocks)
- Lashing capacity: 496lbs
- 1 Year Warranty

## CAM BUCKLE

**PART NO: 43179**

- Suits Pioneer range
- Product comes with 2 cam buckle straps
- 4 x moldings (mounting blocks)
- All the required hardware for installation
- 1 Year Warranty

# PIONEER ACCESSORIES



Platform Roller  
Available in a  
variety of widths



Ratchet Grab  
**43139**



Rhino Spare Wheel Strap  
**RWS**  
Used with 43117 Eye Bolt Kit (3)



Jerry Can Holders  
Available in a  
variety of sizes



Rhino Gas Bottle Holder  
**RGBH4**



Luggage Bags  
Available in a  
variety of sizes



Wrap Pads  
**43150**



Shovel Holder Bracket  
**43103**



High Lifting Jack Bracket  
**43101**



High Lifting Jack &  
Shovel Bracket Kit  
**43157**



Eye bolt Kit  
**43106 2 kit**  
**43178 4 kit**



**NOTE:** The image shown is for presentation purposes only. Please check your vehicles roof and roof rack load rating to determine the weight that you can carry.



Multipurpose  
Holder Bracket  
**31114**



Conduit Clamps  
**BC2**



Conduit Locking  
End Cap  
**LSE100H/LSE100**



Awning Brackets  
**43100**



Foxwing Awning  
**31100**



Sunseeker 2.5m Awning  
**32105**



Brackets  
LED/Spot Light **43156**  
LED Light **43173**



Work Light Bracket  
**SWLB**



Rapid Straps  
Available in a  
variety of sizes



Pickup Kit  
Ratchet **43175**  
Cam Buckle **43179**



Adjustable Load Holder  
**RLH2**

## ROOF TRAYS



### ALLOY TRAY



- Easy to assemble and install
- Heavy duty, non-corrosive components
- Unique tie-down points
- Aerodynamic shape for less wind resistance
- Available in a range of sizes
- Suitable for Rhino-Rack Heavy Duty & Rhino-Rack Vortex style crossbars
- Available in silver

PART NO.	INTERNAL LENGTH	INTERNAL WIDTH	CROSSBARS REQUIRED	PLANKS	TRAY WEIGHT
AT1210	1200mm/47"	1010mm/40"	2	4	13.5kg/30lb
AT1510	1500mm/59"	1010mm/40"	2	4	14.5kg/32lb
AT1512	1500mm/59"	1240mm/49"	2	5	18.0kg/39lb
AT1810	1800mm/71"	1010mm/40"	3	4	18.0kg/39lb
AT1812	1800mm/71"	1240mm/49"	3	5	20.5kg/45lb
AT2012	2000mm/79"	1240mm/49"	3	5	21.5kg/47lb

NB: Alloy Trays require either a Heavy Duty fitting kit or a Vortex fitting kit (sold separately). Thule fit kits also available.

# YOUR FAVORITE ACCESSORIES THAT FIT THE ALLOY TRAY AND CROSS BARS

For a full range of brackets to attach your accessories please visit [www.rhinorack.com](http://www.rhinorack.com)



## LOCKABLE SHOVEL HOLDER

**PART NO:** RSHB-L

**SUITS:** Alloy Tray



## SHOVEL HOLDER

**PART NO:** RSHB

**SUITS:** Alloy Tray



## LOCK

**PART NO:** RSHL

**SUITS:** Shovel Holder



## HORIZONTAL JERRY CAN HOLDER

• Cans up to 18.7" high

**PART NO:** 43108

**SUITS:** Pioneer Range & Alloy Tray



## VERTICAL JERRY CAN HOLDER

**PART NO:** 43107

**SUITS:** Pioneer Range & Alloy Tray



## HI-LIFTING JACK HOLDER

Mounts directly to Rhino-Rack Heavy Duty crossbar. Suits most hi-lifting jacks. Provision for pad lock. Use in conjunction with the Alloy Tray.

**PART NO:** RJHB

**SUITS:** Alloy Tray



## VORTEX HIGH LIFTING JACK HOLDER BRACKET

Mounts directly to Rhino-Rack Vortex crossbar. Suits most hi-lifting jacks. Provision for pad lock. Use in conjunction with the Alloy Tray.

**PART NO:** SJHB

**SUITS:** VA Bar



## RHINO WHEEL STEP

Mounts directly onto your rear wheel to enable you easier rooftop access.

**PART NO:** RWS

**SUITS:** All



## RHINO FOLDING LADDER

The ladder folds down and has its own bag for easy storage and transportation.

**PART NO:** RFL

**SUITS:** Pioneer Range & Alloy Tray



## RHINO GAS BOTTLE HOLDER

• Suits 4 kg bottle only

**PART NO:** RGBH4

**SUITS:** Pioneer Range & Alloy Tray



## SPARE WHEEL HOLDER

**PART NO:** RSWH

**SUITS:** Pioneer Range & Alloy Tray



## STEEL SHOVEL

The Rhino-Rack square mouth shovel is corrosion resistant and powder coated black. The contoured grip is designed to be non slip with superior comfort to provide greater control. Beneath the grip consists of a composite multicore fibreglass (PVC and TPE) handle.

**PART NO:** 43123



## ALLOY TRAY LIGHT BRACKET

Enables you to easily mount your driving lights to the front or rear of your Alloy Tray.

**PART NO:** ATLB

**SUITS:** Alloy Tray

## ROOF TRAYS



## XTRAY

**PART NO: RMCB01** 47.2" x 35.4" x 7.9" (external)

**PART NO: RMCB02** 58.3" x 42.9" x 5.9" (external)

- Universal clamp fits most crossbar types
- 3 year warranty
- 165lbs load rating
- Engineered 2pc construction
- Corrosion resistant
- Fits roof racks of varying distances.
- Bar spacing: Max = 29.9" Min = 21.1"



### LUGGAGE NETS

**PART NO: RLN1 + RLN2**

## LUGGAGE BAGS

### HALF

**PART NO: LBH**

55.1" L x 19.7" W x 11.8" H

### SMALL

**PART NO: LBS**

43.3" L x 31.5" W x 11.8" H

### MEDIUM

**PART NO: LBM**

47.2" L x 37.8" W x 11.8" H

### LARGE


**PART NO: LBL**

59.1" L x 43.3" W x 11.8" H

### EXTRA LARGE

**PART NO: LBXL**

70.9" L x 43.3" W x 11.8" H



- Heavy duty carry handle
- 1200 Denier Oxford Material with UPVC Coating
- Securing straps with heavy duty buckle
- YKK heavy duty zipper with dust proof velcro flap
- Water resistant
- 1 year warranty

## STEEL MESH PLATFORM

- Strong and Durable
- Corrosion Resistant
- Zinc-plated and powder-coated to avoid corrosion and color fading



*NB: Fitting Kits sold separately*

PART NO.	DESCRIPTION	LENGTH	WIDTH	MESH SIZE	TRAY WEIGHT
RPBH	Half Size	59.1"	25.6"	0.2"	27lbs
RPBS	Small	49"	37"	0.2"	18lbs
RPBM	Medium	52.8"	43.3"	0.2"	40lbs
RPBL	Large	62.6"	47.4"	0.2"	46lbs
RPXL	Extra Large	82.7"	45.9"	0.2"	60lbs

## STEEL MESH BASKET

- Strong and Durable
- Corrosion Resistant
- Zinc-plated and powder-coated to avoid corrosion and color fading



*NB: Fitting Kits sold separately*

PART NO.	DESCRIPTION	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL DEPTH	MESH SIZE	BASKET WEIGHT
RLBS	Small	46.1"	34.4"	5.1"	0.2"	19lbs
RLBM	Medium	47.6"	38.2"	5.5"	0.2"	30lbs
RLBH	Half	55.5"	22.8"	4.7"	0.2"	22lbs
RLBL	Large	60.6"	45.3"	6.3"	0.2"	41lbs
RLBXL	Extra Large	71.3"	45.7"	5.9"	0.2"	48lbs
RLBXXL	2 Extra Large	82.7"	45.9"	5.9"	0.2"	60lbs
RLBHL	Half Long	82.7"	22.4"	4.7"	0.2"	37lbs
RLBN	Narrow	82.7"	13.8"	4.7"	0.2"	29lbs



## FIT KITS



### RHINO U-BOLTS

2.9" x 2.6"

**PART NO:** RUBK  
**SUITS:** Rhino-Rack  
 Heavy Duty Bar



### RHINO U-BOLTS

2.5" x 3.9"

**PART NO:** S280  
**SUITS:** Rhino-Rack  
 Vortex Bar



### EUROPEAN U-BOLTS

1.3" x 1.5"

**PART NO:** MUBK  
**SUITS:** Rhino-Rack  
 Euro Bar



### BASKET PLATES

Recommended for RLBL,  
 RLBXL & RPBL baskets. For  
 offroad use.

**PART NO:** BP4

SECURING



## RAPID LOCKING STRAPS

**PART NO:** RTD25L  
**LENGTH:** 98.4"

**PART NO:** RTD35L  
**LENGTH:** 137.8"

**PART NO:** RTD45L  
**LENGTH:** 177.2"

**PART NO:** RTD55L  
**LENGTH:** 216.5"

- Straps can be tightened before & after cover is locked
- 0.1" PU coated steel wire encased in the strap to protect against cutting
- Steel wire starts 9.8" from the end, allowing easy feed of strap through the cambuckle and ease in tying off excess strap
- Lower vibration noise caused by wind when compared to regular tie down straps
- Maximum lashing capacity is 496lbs
- Tested to AS4380:2001
- Cambuckle Cover is completely removable to aid in feeding/securing strap
- Security stop inside cover helps prevent theft
- Aluminum cambuckle is corrosion resistant



Lockable cover is completely removable and Masterkey™ compatible



Rubberized cambuckle helps protect your load/vehicle from damage



Cable Core - 0.1" PU coated steel wire encased through length of the strap



Included: 2 x straps, 2 x covers with locks, 2 x keys, 2 x storage velcro straps



**LASHING  
CAPACITY**  
STANDARDS AS/NZS 4380

## RAPID STRAPS

**PART NO:** RTD35P  
**COLOUR:** BLACK  
**LENGTH:** 137.8"

**PART NO:** RTD45P  
**COLOUR:** RED  
**LENGTH:** 177.2"

**PART NO:** RTD55P  
**COLOUR:** BLUE  
**LENGTH:** 216.5"

**PART NO:** RTD35C, RTD45C  
**COLOUR:** CAMO  
**LENGTH:** 137.8", 177.2"

- Unique design registered Buckle Protector, designed to encase the metal cam buckle
- Buckle Protector is made from TPV rubber and provides maximum protection for your gear or vehicle.
- Sewn in Velcro "Roll it" Strap to keep the strap neatly stowed and indicate strap length.
- Low vibration noise caused by wind
- Maximum lashing capacity is 496lbs
- Tested to AS4380:2001
- Aluminum cambuckle is corrosion resistant





## LUGGAGE BOXES

- Low profile
- Safe and secure fit
- Suitable for crossbars with a max width of 35.4" & max height of 13.8in
- 5 year warranty
- 165lbs load rating



**Quick and easy to use**

Comparison Chart	RMFZ66	RMFZ86	RMFB440	RMFB550	RMF440	RMF550
Colour	Brilliant Black	Brilliant Black	Black	Black	Silver	Silver
External Length (mm)	76"	85"	76"	85"	76"	85"
External Width (mm)	32"	35"	32"	36"	32"	36"
External Height (mm)	14"	15"	17"	17"	17"	17"
Capacity (litres)	400L	440L	440L	550L	440L	550L
Box weight	37.5lbs	52lbs	39lbs	45lbs	32lbs	45lbs
Max. allowed weight	165lbs	165lbs	165lbs	165lbs	165lbs	165lbs
Crossbar Spacing	640-815mm	620-930mm	620-930mm	620-930mm	620-930mm	620-930mm
Material	ABS/PMMA***	ABS/PMMA***	ABS/ASA**	ABS/ASA**	ABS/ASA**	ABS/ASA**
Opening	Dual	Dual	Dual	Dual	Dual	Dual
Locking points	3	3	3	3	3	3
Load securing straps included	4	4	4	4	4	4
Manufacturers warranty	5 years	5 years	5 years	5 years	5 years	5 years

ABS/PMMA\*\*\* = Acrylonitrile Butadiene Styrene/Para-Methoxymethamphetamine

ABS/ASA\*\* = Acrylonitrile Butadiene Styrene/Acrylic Styrene Acrylonitrile



Twist dial



Jaws tighten around crossbar



Press button to lock



T-Bolts available for 'C' Channel fitment  
PART NO: RMF-23408

NB: To fit on to heavy duty crossbars please use RUBK-MF fitting kit.

"We have used many carriers over the years, but none have compared to the style, ease of use, and durability of Rhino-Rack. Colorado winters are a true test for any roof racking system and as the world's largest ski specialty brand we need reliable cargo systems for transporting equipment to world cup events, resorts, US Ski Team, and athlete adventures. The Rhino-Rack systems offer flexibility in carriers, style for our Audi fleet, and are durable enough to take on the coldest and harshest conditions. Rhino-Rack delivers everything we need to tackle our year round adventures!"

*Brady Collings - VP marketing, SPYDER Active Sports*

## ZENITH LUGGAGE BOXES

**PART NO:** RMFZ66 - 400L

**PART NO:** RMFZ86 - 440L




With it's modern design the Zenith MasterFit Luggage Box is aerodynamic, reliable and secure.

- Stylish with a modern and elegant design
- The capacity of this luggage box is 440L
- Made from ABS/PMMA with a metallic paint finish
- UV Protected
- Impact Resistant
- Includes 4x premium fit mounts
- The luggage box has dual side opening for convenience
- It has a 3 point central locking system
- A specifically designed rear wind diffuser for aerodynamics
- Includes 3x tie down straps

## LUGGAGE BOX WALL HANGER

**PART NO:** RWHMF

- 3 year warranty
- Powdercoated steel tubes with UV protection rubber padding
- Adjustable arms to allow for various sized boxes



WE'VE GOT YOU COVERED WITH OUR  
**RANGE OF SHADE  
ACCESSORIES**





SHADE



## FOXWING AWNING



**PART NO: 31200** Foxwing 2500 (right hand)  
**PART NO: 31100** Foxwing 2500 (left hand)  
**PART NO: 31117** Foxwing Eco 2100 (left hand)

- One person operation
- UV Protected
- MouldShield™
- Rip stop heavy duty polycotton canvas
- Telescopic poles, pegs and ropes included
- One piece awning that covers 270 degrees



# 270 Degrees of SHADE

Dimensions		
Part No	31100, 31200	31117
Size (Closed)	98.4" x 7.1" x 2.4"	78.8" x 7.9" x 3.5"
Height (Open)	86.6"	86.6"
Mount Position	Left, right	Left
Material	Ripstop Polycotton Canvas	Lightweight polyester with polyurethane (PU) coating
Colour	Taupe	Light Grey
Weight	40lbs	33lbs
Warranty	1 year	1 year
Add-On Accessories	Awning Extension Part# 31101 Tapered Zip Extension Part# 31112 Mesh Floor Saver Part# 31115 Tagalong Tent Part# RV5T Sand Screws Part# 31113 Sand Bags Part# 31109 Front Edge Zippered Insert Part# 31124	Awning Extension Part# 31118 Sand Screws Part# 31113 Sand Bags Part# 31109



UV PROTECTED



WATERPROOF



## SUNSEEKER AWNING



**PART NO: 32109** Sunseeker 2000  
**PART NO: 32105** Sunseeker 2500

- High quality rip-stop polycotton canvas
- UV protected & waterproof
- MouldShield™
- Corrosion resistant
- Complete with telescopic poles, guy ropes and pegs

	<b>RHINO-RACK SUNSEEKER 2500</b>	<b>RHINO-RACK SUNSEEKER 2000</b>
Dimensions	 2100mm / 83in 2500mm / 98in	 2100mm / 83in 2000mm / 79in
Part No	32105	32109
Size (Closed)	98.4" x 70.9" x 2.4"	78.7" x 7.9" x 3.5"
Height (Open)	86.6"	86.6"
Mount Position	Left or Right	Left or Right
Material	Ripstop PolycottonCanvas	Ripstop PolycottonCanvas
Color	Taupe	Taupe
Weight	25lbs	22lbs
Warranty	1 year	1 year
Add-On Accessories Refer to pg 58	Awning Extension Part# 31101 Side Wall Extension Part# 32112 Mesh Room Part# 32108 Tagalong Tent Part# RV5T Sand Screws Part# 31113 Sand Bags Part# 31109 2.5m Fly Extension Part# 32117	Awning Extension Part# 32111 Side Wall Extension Part# 32112 Mesh Room Part# 32118 Tagalong Tent Part# RV5T Sand Screws Part# 31113 Sand Bags Part# 31109

ACCESSORIES FOR BOTH THE FOXWING AND THE SUNSEEKER ARE AVAILABLE. FOR A FULL LIST GO TO PAGE 58.



## DOME AWNING

The Dome 1300 (51.2") is a compact awning that you can fit to the side or rear of your vehicle providing you with a large area of cover. Perfect for tailgating, camping, picnics, or lazy days at the beach.


**PART NO:** 32125

### Key features include:

- Ripstop polycotton canvas construction
- Provides UV protection (UV50+) and is waterproof (PU59")
- Domed shaped ceiling provides ample headspace & allows boot of vehicle to be opened
- Fold out sides provides extra area of cover
- Can withstand strong weather conditions
- Domed shaped promotes effective water run off during showers/storms
- Can also be fitted to the side of a vehicle
- Quick and easy one person setup
- Comes with mounting hardware, 2 x guy ropes, 2 x vertical poles and 2 x dome support poles



NEW



SHADE

The new **Base Tent** (Part# 32119) has been designed to keep you comfortable in any environment. With it's tried and tested polycotton construction, large fly screen doors and unique domed roof, the Base Tent is a great place to stay protected from nature's elements and pests during those overnight trips or extended adventures. You can extend the front flap for extra shade throughout the day. Zipper ports for you lighting needs during the evening and a simple setup and pack down into a compact bag, make Base Tent a traveler's best friend.



# BASE TENT 2500



## PART NO. 32119

98.4" (l) x 82.7" (w) x 86.6" (h)

Weight: 26lbs

- Packed away size: 35.4" L x 10.6" W x 10.6" H
- Dome roof for extra internal height and effective water run off
- 4 doors for easy access
- Internal roof storage
- Insect proof mesh screens
- Front zippered door can double as a front awning
- Cross flow ventilation pockets for reduced condensation
- Attaches to Sunseeker 2500 or use as a stand alone unit  
(Pole Kit sold separately Part# 32124)

- Your Sunseeker acts as a thermal barrier from the sun
- Can be used in conjunction with a Tagalong Tent & Awning Extension
- Two internal zippered power ports and cable routing for LED light cables
- Weatherproof zippers
- UV protected and waterproof ripstop polycotton canvas
- PVC waterproof floor
- Tough carry bag, guy ropes & pegs are included



Cross air flow ventilation



Insect proof mesh screen  
& sealed room for camping



Cable routing for tidy LED light cables  
(lighting sold separately)



Internal roof storage



## FOXWING TAPERED ZIP EXTENSION

PART NO: 31112

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	31112	✗	31112	31112

- Zippered sides. Join together to form a full enclosure
- Up to 4 extensions can be used
- Size 90.6" x 102.4" (flared at the bottom to 149.6")
- Telescopic poles, guys ropes and pegs are included
- Storage bag included
- Material: Ripstop Polycotton Canvas
- Water Rating: 4.9'



## FOXWING FRONT EDGE ZIPPERED INSERT

PART NO: 31124

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	31124	✗	✗	✗

- Pole features a with unique twin peg base and hook top pin.
- Easy zipper attachment to your Foxwing Awning
- Compact and simple to carry and store
- Telescopic pole, metal peg, guy rope and bag included



## FOXWING ECO EXTENSION

PART NO: 31118

### SUITS

F2100	F2500	S2000	S2500	D1300
31118	✗	✗	✗	✗

- Zippered sides. Join together to form a full enclosure
- Up to 4 extensions can be used
- Size 79" x 75"
- Telescopic poles, guys ropes and pegs are included
- Storage bag included
- Material: Ripstop Polycotton Canvas
- Water Rating: 4.9'



## TAGALONG TENT

PART NO: RV5T

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	RV5T	✗	RV5T	RV5T

- Quick & Easy to store and carry
- UV Protected
- Waterproof (Rating:4.9')
- Mold Resistant
- Rust Proof
- Insect proof mesh screens



## SUNSEEKER 2500 FLY EXTENSION

PART NO: 32117

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	✗	32117	32117

- Quick & Easy to attach
- Includes 4 walls and ceiling made all from fine midge proof mesh
- Zippers on each side wall to allow easy entry and access to vehicle
- Snap hooks to connect to awning poles
- Suitable with the Sunseeker Awning range



## FOXWING MESH FLOOR SAVER

PART NO: 31115

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	31115	✗	✗	✗

- Quick & Easy to store and carry
- Made from heavy duty Polyethylene mesh cloth
- Designed to match the shape of the Foxwing Awning
- Light weight (7lbs)
- UV Protected
- Waterproof
- Mold Resistant
- 1 Year Warranty



## SUNSEEKER MESH FLOOR SAVER

PART NO: 32128 / 32129

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	32128	32129	✗

- Quick & Easy to store and carry
- Made from heavy duty Polyethylene
- Abrasion Resistant
- UV Protected
- Mold Resistant
- Designed to match the shape of the Sunseeker 2500 Awning and Mesh Room 2500
- Light weight
- 1 Year Warranty



## MESH ROOM

PART NO: 32108 / 32118

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	32118	32108	✗

- Quick & Easy to attach
- Includes 4 walls and ceiling made all from fine midge proof mesh
- Zippers on each side wall to allow easy entry and access to vehicle
- Snap hooks to connect to awning poles
- Suitable with the Sunseeker Awning range



## SUNSEEKER SIDE WALL

PART NO: 32112

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	✗	32112	32112	✗

- Provides an additional 78.7" x 78.7" of additional coverage
- Fits both the Sunseeker and the Sunseeker
- Can be pitched at an angle, straight to the ground
- UV Protected
- Waterproof (rating: 4.9')
- Mould Shield™



## SUNSEEKER EXTENSION

PART NO: 31101 / 32111

### SUITS

F2100	F2500	S2000	S2500	D1300
✗	31101	32111	31101	✗

- UV Protected
- Waterproof (Rating: 59in)
- Mould Shield™
- Adds another 78.7" in width

Legend: F2100- Foxwing Eco 2100. F2500- Foxwing 2500. S2000- Sunseeker 2000. S2500- Sunseeker 2500. D1300 - Dome 1300



## CAMPING CHAIR

PART NO: RCC

Features:

- Load Rating: 250lbs/115kg
- Material: 600D PVC Fabric.
- Warranty: 1 year
- Product Measurement (folded):  
37.4" (L) x 9.8" (D) x 9.8" (H)
- Quick set up and pack down
- Carry bag included. 300D Polyester with PU coating.
- UV Protected



## CAMPING STRETCHER

PART NO: 34004

Features:

- Load Rating: 250lbs/115kg
- Material: 600D PVC Fabric.
- Product Measurement (open):  
79.1" (L) x 28.7" (D) x 18.3" (H)
- Warranty: 1 year
- Quick set up and pack down
- Carry bag included. 300D Polyester with PU coating.
- UV Protected





## LED LIGHTING KITS



### 19.7IN BAR LED LIGHT KIT

PART NO: LEDKIT1

Kit contents:

- 4 x 19.7" LED Light Bar
- 4 x Dimmer Switch
- 2 x Three Way Splitter
- 2 x 47.2" Connector Lead
- 2 x 98.4" Connector Lead
- 1 x 393.7" Connector Lead

- 1 x Power Adaptor
- 1 x Alligator Clip
- 1 x Merit / Cigarette Plug
- 2 x Velcro Strap Set (6pcs)
- 1 x Padded Carry Bag



### 11.8IN BAR LED LIGHT KIT PART

PART NO: LEDKIT7

Kit contents:

- 3 x 11.8" LED Light Bar
- 1 x Dimmer Switch
- 1 x 47.2" Connector Lead
- 1 x 98.4" Connector Lead

- 1 x Merit / Cigarette Plug
- 1 x Velcro Strap Set (6pcs)
- 1 x Padded Carry Bag


Go to our website for a full range of kits available



## COMPONENTS SOLD SEPARATELY



Waterproof



Tough Heavy Duty Bar

### LED LIGHT BAR

#### Features:

- Input Voltage: 12V
- Color: Pure White 5500k Kelvin
- Beam Angle: 120 degree
- LED Life: 50,000 Hours
- Ingress Protection Rating: IP68
- Material: Aluminum/PMMA/PC
- Warranty: 5 Years

PART NO: LED02

PART NO: LED01

PART NO: LED30

Length	11.8"	19.7"	39.4"
Width	0.5"	0.5"	0.5"
Power	3.6W	6W	12W
Current Draw	0.3A	0.5A	1.0A
LED Type	18 Tri-Chip	30 Tri-Chip	60 Tri-Chip
Lumens	432lm	720lm	1440lm

### DIMMER SWITCH

PART NO: LED03

#### Features:

- Voltage: 12v
- Adjustable brightness
- Remote combo on/off dimmer



### 3 WAY SPLITTER

PART NO: LED10

Note: A maximum of 2x 39.4" / 6x 19.7" / 10x 11.8" LED bars can be used off one circuit. Any additional bars may cause overheating and damage to the items/circuits.

### RF REMOTE KIT

PART NO: LED04

#### Features:

- Control up to 98.4' range
- Adjustable brightness
- Remote combo on/off dimmer

This RF Remote Kit is not weather protected and must have adequate protection from moisture and rain.



### POWER ADAPTOR

PART NO: LED14

#### Features:

- Indoor 240V power adaptor
- AC/DC wall mounted

### 12 VOLT ALLIGATOR CLIP

PART NO: LED05

#### Features:

- Power your LED lights from a auxiliary battery
- To be used in conjunction with merit / cigarette plug



### VELCRO STRAP SET

Velcro straps holds items firmly & securely.

PART NO: LED12

#### Features:

- Length: 7.9"
- 6pcs in pack

### 12 VOLT MERIT / CIGARETTE PLUG

PART NO: LED11

#### Features:

- 98.4' quick connect cable with cigarette attachment
- Cigarette lead comes with merit plug 12v input



CONTENTS ARE NOT INCLUDED.

### PADDED CARRY BAG

PART NO: LED16

#### Features:

- Suitable for storing up to 7 LED Bars
- 4 padded compartments
- Heavy duty rubber handle
- Durable material

### CONNECTOR LEAD

PART NO: LED06 - 32.8ft

PART NO: LED07 - 8.2ft

PART NO: LED08 - 3.9ft

#### Features:

- Waterproof / Weather Protected
- 3 different lengths



### BATTERY PACK AND CHARGER

LITHIUM-ION 12V 5AH BATTERY

PART NO: LED8

- Lightweight rechargeable battery set
- 19.7" LED Bar - 10 hours run time,
- 11.8" LED Bar - 16 hours run time
- Battery Pack includes cover

LITHIUM-ION 12V CHARGER

PART NO: LED25

**OUR CARRIERS ARE NOT ONLY  
PERFECT FOR YOUR KAYAK  
OR CANOE BUT ALSO YOUR SUP**



## LOCKABLE KAYAK CARRIER



**PART NO:** 580 Side Loading

**PART NO:** 581 Rear Loading

### Features:

- Hidden locks
- Fits a variety of hull shapes
- Marine grade felt lined rear cradles for maximum hull protection
- 0.2" thick TPV (santoprene rubber front pads)
- Pads provide 3" x 7.9" contact surface area
- Perfect hull contact
- Unique 180 degree rotation
- 4 cradles included
- Includes 4 straps (2x 196.9", 2x 137.8") with buckle protector

*Fit kit sold separately for heavy duty crossbars*



**MASTERKEY COMPATIBLE**

## UNIVERSAL KAYAK CARRIER



**PART NO:** 570 Side Loading

**PART NO:** 571 Rear Loading

### Features:

- Universal crossbar fit
- Fits a variety of hull shapes
- Perfect hull contact
- Marine grade felt lined rear cradles for maximum hull protection
- 0.2" thick TPV (santoprene rubber front pads)
- Pads provide 3" x 7.9" contact surface area
- Unique 180 degree rotation
- Includes 4 straps (2x 196.9", 2x 137.8") with buckle protector

*Fit kit sold separately for heavy duty crossbars*



### STRAPS INCLUDED

All Nautic Kayak Carriers include 4 straps (2x 196.9", 2x 137.8") featuring our buckle protector

## WATER



### NAUTIC STACK PART NO: S520



- Perfect for white water or short kayaks
- Holds up to 4 kayaks
- Optional fitting application - clamp or C channel nut and bolt system
- Foldable Stack arm when not in use
- Glass reinforced nylon base adds exceptional strength
- Stack Arm made of high strength anodised alloy



### FOLDABLE PART NO: S512

- Side loading
- Rubber tube padding protection
- Steel tube with state of the art coating protection
- Universal mounting system to suit all cross bar shapes
- Paddle holder attached
- Straps included



### KAYAK CARRIER EXTENSION PART NO: S512X

Features:

- Enables you to transport 1 extra watercraft at the same time
- Suitable for the S512
- Includes straps



### FIXED POSITION PART NO: S510

Features:

- Side loading
- Rubber tube padding protection
- Stainless steel hardware included
- Steel tube with state of the art coating protection
- Universal mounting system to suit all crossbar shapes
- Includes straps



### UNIVERSAL WRAP PAD PART NO: RWP01, RWP02, RWP03, RWP04, RWP05

Features:

- Protect your roof racks from damage when loading and unloading your surfboard, canoe, kayak, paddleboards, etc with the Rhino-Rack Universal Wrap Pads.
- Available in 4 different lengths



*Image shows RWP03*



## SUP & KAYAK ACCESSORIES



### 'C' CHANNEL FIT KIT

**PART NO:** KC FK8

Fits S510, S512 Kayak Carrier and S512X Extension Piece into the 'C' Channel. Suitable for Rhino-Rack Heavy Duty, Aero and Thule Aero.



### WALL MOUNT

**PART NO:** RWHL, RWHS

Perfect for kayaks or luggage boxes



### RHINO MULTI PURPOSE HOLDER

**PART NO:**

RMPHU

- Designed to carry 1-2 paddles
- Strong UV materials
- Fits all leading crossbar brands



### PADDLE BOARD WALL HANGER

**PART NO:**  
RWHPB

Features:

- Powder coated
- UV protected
- 3 year warranty



### KAYAK BOW STRAP

**PART NO:** RBAS1

**PART NO:** RBAS2  
(Perfect for SUPs)



### BONNET ANCHOR STRAP

**PART NO:** RBAS

**PART NO:** RAS

WE HAVE A NUMBER OF  
SOLUTIONS TO HELP YOU  
LOAD YOUR KAYAK OR BOAT  
WITHOUT THE STRAIN OF  
HEAVY LIFTING.



# NAUTIC KAYAK LIFTER

Look no further, Rhino-Rack introduces the Nautic Kayak Lifter, the only kayak lifter on the market that has:

1. 176lbs load capacity
2. No heavy lifting
3. Single person operation

- Quick set up
- Fits most popular roof racks
- No drilling required in kayak
- Lifts kayaks up to 176lbs
- Height adjustable to suit various vehicle heights
- Low friction, easy slide ramps
- Rust proof
- UV protection
- 5 year warranty

## Kit includes:

- 2x adjustable alloy ramps
- 2x alloy roller support bars
- Manual Winch
- Hardware
- 26.25' non stretch marine rope
- Harness Kit (6 straps included)



Manual Winch included



WATCH  
OUR VIDEO

## T-LOAD



### DO YOU NEED A CROSSBAR?



TOW BALL MOUNT

**PART NO:**  
RTL001



HITCH MOUNT

**PART NO:**  
RTL002

#### Included

- 49.2" Aero crossbar
- One Kayak Sling Kit (Part # RTLK)

### OR DO YOU ALREADY HAVE A CROSSBAR THAT FITS?



TOW BALL MOUNT

**PART NO:**  
RTL003



HITCH MOUNT

**PART NO:**  
RTL004

#### Not Included

- 49.2" Aero crossbar
- One Kayak Sling Kit (Part # RTLK)



#### T-LOAD NUMBER PLATE HOLDER

**PART NO:** RTLNP

Our T-Load Number Plate Holder will help you keep your number plate in clear view.



Versatile, multi-purpose

## UNIVERSAL SIDE LOADER



Additional clamps to suit a range of crossbars

### PART NO: RUSL

#### Features:

- Push button for quick release and easy storage
- Includes cross bar clamps to suit all popular roof racks
- Includes heavy duty storage bag
- Includes support pole for kayaks greater than 44lbs

- Integrated load stop prevents kayak from sliding off bar
- Foam padding for protection of kayak
- Padding on the underside of clamps to protect vehicle roof
- Clamps to suit Rhino Aero/HD/Euro, Thule, Rola, Prorack\*
- \* Fit certain bar profiles


## SIDE LOADER



### PART NO: SLH01

#### Features:

- A padded velcro wrap kit is included to protect the kayak when you load and slide it to the top of your vehicle
- A rubber mat is included to protect your kayak from scraping the floor when loading



## SIDE BOAT LOADER



### PART NO: RSBL

#### Features:

- Single person operation
- Load and unload your tinnie without unhitching the caravan or trailer
- Uses a hand drill for effortless loading (18 volt drill recommended)
- Ideal for boats up to 176lbs in weight\*
- Fits Rhino Heavy Duty and Rhino Aero crossbars 49.2" and up
- Minimum requirement of only 2 crossbars
- Fits a range of vehicles including 4WD's, low roof camper vans and station wagons.
- No need for a boat trailer
- Check your manufacturers load rating to determine the maximum carrying capacity of your specific vehicle.



SNOW




Image shows the 572 Carrier mounted to a Side Angled Recovery Track Bracket (Part No. 43159)

## FISHING ROD HOLDER/ SKI & SNOWBOARD HOLDER



### 572/573 SERIES

PART NO: 572

PART NO: 573

These stylish locking arms provide a simple, effective method of locking down your gear without a fuss. This carrier will fit all leading crossbar brands.

- Internal Measurement = 9.8"
- External Measurement = 15.6"



MASTERKEY COMPATIBLE



Molded rubber designed to secure rods into position



### MULTI-PURPOSE HOLDER

PART NO: RMPHU

The Rhino-Rack Multi Purpose Holder is perfect for carrying fishing rods, ski poles & kayak paddles!

# SKI & SNOWBOARD HOLDER

- Fits up to 6 pairs of skis / 4 snowboards
- Sold in a pair
- Key locking for security. Masterkey compatible
- Easy to use locking mechanism
- Rubber grip to position and secure your equipment
- Universal fit to suit the most popular roof racks on the market

PART NO.	INTERNAL DIMENSION	SUITABLE FOR SKI	SUITABLE FOR SNOWBOARDS
572	9.8"	2	-
573	12.8"	3	2
574	19.7"	4	2
576	27.4"	6	4



Rubber Grip Protection



Easy Locking Mechanism



Universal Mounting



C-Channel Mounting



UV PROTECTED



ANODIZED SURFACE



RUST PROOF



MASTERKEY COMPATIBLE



# HYBRID BIKE CARRIER

PART NO: RBC050



Bike Adapter

Fits 20" kids bikes up to 29" mountain bikes.

Fat Bike Adapter

For tires up to 5" wide. Adapter sold separately.

Premium aluminium tray

## Triple Security

3 locking points offer more security than the competitors

- ▶ Cover plate
- ▶ Handle
- ▶ Security cable

## Masterkey Compatible

All 3 locking points are Masterkey compatible.



Universal Fit

Fits most popular roof racks on the market.

C-Channel Fit

Optional C-Channel fitment. Sold separately.



Lockable Handle

Easily secure the front wheel with no fuss.



Left or Right

Swing arm can be adjusted to driver or passenger side.



Security Cable

Lockable security cable included to secure bike frame to carrier.

Folds completely flat when not in use



LOW PROFILE



3×SECURITY



MASTERKEY COMPATIBLE



## ROOF MOUNTED BIKE CARRIER



### MOUNTAINTRAIL PART NO: RBC035



#### Features:

- Low profile
- Universal crossbar fit
- Fits all wheel dimensions
- Locks included to secure carrier to both the bicycle and crossbars
- Easily adjustable locking skewer
- Fits discs and standard brake systems
- Suitable for bikes up to 33lbs
- Min. cross bar spacing: 21.7", max: 39.8"



### ROAD WARRIOR PART NO: RBC036



#### Features:

- Low profile
- Suits most "C" Channel crossbar profiles
- Rear wheel strap fits all wheel dimensions
- Lockable
- Suits most types of bikes with either standard or disc brake systems
- Adjustable locking skewer
- Suitable for bikes up to 33lbs
- Min. cross bar spacing: 21.7", max: 39.8"



## DUAL TREKKER

**PART NO:** RBC048

Features:

- 2 bike platform carrier
- Fits both 2" & 1-1/4" hitch receivers.
- Mounts with a ratcheting arm over the front tyre.
- Rear wheel straps secures the bikes
- Access to the rear of your vehicle is always available, even when bicycles are loaded
- Carrier folds up and against the vehicle when not in use
- 90lbs load rating

 **CARRYING CAPACITY**

 **HITCH MOUNT**

# REAR MOUNTED BIKE CARRIER



## HITCH MOUNT BIKE CARRIER

**PART NO:** RBC044

Features:

- Fits up to 4 Bikes
- Hitch Mounted Carrier
- Fits 2 & 1-1/4 Hitch Receivers
- Adjustable Cradles designed to fit a wide range of bike frames
- Foam padding for extra protection



CARRYING CAPACITY



FOLD DOWN SHAFT



HITCH MOUNT

## HITCH MOUNT BIKE CARRIER

**PART NO:** RBC045

Features:

- Fits up to 2 Bikes
- Hitch Mounted Carrier
- Fits 2 & 1-1/4 Hitch Receivers
- Adjustable Cradles designed to fit all types of bike frames
- Folding top arm and pull latch for access to rear life gate on vehicle



CARRYING CAPACITY



FOLD DOWN SHAFT



HITCH MOUNT

## SPARE WHEEL BIKE CARRIER

**PART NO:** RBC025

Features:

- Ultra-light material
- 3 year warranty
- Carrying capacity of two bikes



CARRYING CAPACITY

Note: Not recommended for off road use or rear mounting on caravans

# BIKE CARRIER ACCESSORIES



### KEY LOCKING SKEWER

**PART NO:** RBCA022

Option available for quick release bike carriers.



### BAR ADAPTOR

**PART NO:** RBCA021

The Bar Adapter allows for use with oversize bike frames, childrens bikes and most ladies bikes. Capable of handling up to a 2.2" headset and a seat tube diameter of 1.2".



### THE CLAW

**PART NO:** RBCA010

Quick release fork mount bike carrier. Used for utilities, trailers and minivans.



### BIKE CARRIER LOCKING CABLE

**PART NO:** RBCA023

- Lock your bikes to the hitch pin on the Rhino-Rack RBC044 bike carrier.
- 11.4' plastic-sheathed steel intertwined steel cords
- 2 keys included



### BIKE CARRIER LOCKING CABLE

**PART NO:** RBCA024

- Lock your bikes to the hitch pin on the Rhino-Rack RBC008, RBC038 bike carriers.
- 11.4' plastic-sheathed steel intertwined steel cords
- 2 keys included



WE HAVE A LARGE RANGE OF LADDER CARRIERS TO HELP YOU LOAD AND TRANSPORT YOUR LADDERS SAFELY

#### RHINO ECONOMY LADDER SLIDE KIT



**PART NO:** REGLK (to suit HD Bars)

**PART NO:** SEGLK (to suit VA Bars)

- To suit a 3 bar system
- This allows ladders to be carried safely on Rhino Heavy Duty Bars.
- The kit consists of:
  - 1 x RLS5 - Ladder Strap
  - 1 x RUH - Ladder Hoops
  - 3 x REG - Ladder Slides





## RHINO-RACK EASY SLIDE



### PART NO: RES (1 Pair)

- Used for ladders, timber planks and long items
- Can be used as a roller replacement
- Made from UV stabilised polyethylene

## RHINO-RACK LADDER SLIDE



### PART NO: REG (1 Pair to suit HD Bars)

### PART NO: SEG (1 Pair to suit VA Bars)

Allows smooth and easy ladder loading and solid load holding capabilities all in one compact easy to use item.

## RHINO-RACK ROLLERS



### TO SUIT HD BAR

**PART NO:** RR540 (21.3")  
**PART NO:** RR615 (24.2")  
**PART NO:** RR1375 (54.1")  
**PART NO:** RR1500 (59.1")  
**PART NO:** RR1650 (65")

### TO SUIT VA BAR

**PART NO:** SR540 (21.3")  
**PART NO:** SR680 (26.8")

Replacement roller mounting brackets available

# SECURING

Securing your load in the right way helps prevent injury and damage.



## RHINO LOAD HOLDER

**PART NO:** RLH1 (Suits Rhino-Rack HD Bars)

**PART NO:** RLH2 (Suits Rhino-Rack VA Bars & Pioneer range)

- Position your load so it doesn't slide in transit
- Height adjustable to cater for different size loads.
- Quick release for easy adjustment
- Sold in a pair



### RATCHET GRAB

**PART NO:** RRG (to suit HD Bars)

**PART NO:** SRG (to suit VA Bars)

- Stainless Steel
- 6.5' strap included
- Attaches to the crossbar
- Load Rating: 485lbs



### LADDER STRAP

**PART NO:** RLS5 (to suit HD Bar)

**PART NO:** SLS5 (to suit VA Bar)

**PART NO:** SLS45 (to suit VA Bar)

**PART NO:** RLS5-15 (to suit HD Bar)

- Camloc type features "snap on" fastening shackle. Secures your ladder quickly and easily



### EYEBOLT

**PART NO:** REB (1pr) to suit HD Bar

**PART NO:** S604 (1pr) to suit VA Bar

- Ideal for use with all of our Ratchet Grab products.



### RHINO J BOLT

**PART NO:** RJBS (8.1in)

**PART NO:** RJBL (9.8in)

- Quick and easy accessory that allows you to safely secure a spare wheel to a Rhino-Rack Heavy Duty crossbar
- Hook spacing 1.7"
- Hook thread 4.1"



### T-BOLT

**PART NO:** STB16 (2pr)

**PART NO:** STB25 (2pr)

- Used for a variety of mounting applications Rhino-Rack Heavy Duty Bar with ease



### LADDER PEG

**PART NO:** RSLP (Small 3" (1pr))

**PART NO:** RMLP (Medium 5.3" (1pr))

**PART NO:** RLLP (Large 8.3" (1pr))

- Used for a variety of mounting applications Rhino-Rack Heavy Duty Bar with ease
- Perfect for positioning ladders



### CABLE LOCK

**PART NO:** RLLB

- A great easy solution for locking your ladders to your Rhino-Rack Heavy Duty Bars.



### RATCHET GRAB

**PART NO:** RRG Length 78.7"

**PART NO:** RRG1 Length 118.1"

**PART NO:** RRG2 Length 177.2"

- Secure your load with confidence
- Strap made from high-grade webbing
- Load rating up to 1499lbs
- High quality, durable stainless steel

# CONDUITS



## LOCKING END CAP

Black

**PART NO:** LSE100 (2)

**PART NO:** LSE100H (1)

Safety Orange

**PART NO:** LSE101 (2)

**PART NO:** LSE101H (1)



**MASTERKEY COMPATIBLE**

- Two conduit locking end caps are included
- Suits 3.9" PVC pipes
- Integrated lock, Masterkey™ compatible
- O-Ring seal reduces dust and water build up inside the conduit pipe
- Locking end cap sits flush with internal conduit pipe so there is no interference with your conduit load
- Lid remains open even when your vehicle is parked on an incline
- Double wall internal pivot plate
- Dynamic testing to AS1235:2000
- Crash tested to ISO11154:2006
- Recommended maximum carrying capacity is 33lbs
- 5 Year Warranty



## CONDUIT LOWER SIDE BRACKET

**PART NO:** BC3-LSB

- Mounts Conduit to the side of your vehicle, reducing overall height
- Clamp secures conduit while still allowing for sliding door clearance
- Stainless steel, nylon moulding
- Suit Rhino-Rack HD Bars
- Adjustable to accommodate most vans and vehicle widths



## CONDUIT

**PART NO:** P30-100

(15'/3.9" diameter)

**PART NO:** P30-150

(15'/5.9" diameter)

**PART NO:** P46-100

(15'/3.9" diameter)

**PART NO:** P46-150

(15'/5.9" diameter)



## CONDUIT REINFORCED END CAP

**PART NO:** BCW-C

(Copper Conduit Endcap)

- Rated to 33lbs



## CONDUIT END CAP

**PART NO:** BCW (1) (3.9" orange)

**PART NO:** BC150 (1) (3.9" orange)

- Secure wire trace to prevent loss
- Ribbed for extra grip
- Crash tested for proven reliability



## CONDUIT END CAP & SLEEVE

**PART NO:** BEC (3.9")

**PART NO:** BEC150 (5.9")

- Secure wire trace to prevent loss
- Ribbed for extra grip
- Crash tested for proven reliability



## CONDUIT CLAMP

**PART NO:** RPC4 (2)

(3.9" clamp. To suit HD Bars)

**PART NO:** RPC6 (2)

(5.9" clamp. To suit HD Bars)

**PART NO:** SPC4 (2)

(3.9" clamp. To suit VA Bars)

**PART NO:** SPC6 (2)

(5.9" clamp. To suit VA Bars)



## CONDUIT CLAMP

**PART NO:** BC2 (3.9" clamp. (2))

**PART NO:** BC3 (3.9" clamp. (3))

**PART NO:** BC4 (3.9" clamp. (4))

**PART NO:** BC2-150 (2) (5.9")

**PART NO:** BC3-150 (2) (5.9")

- Attaches 3.9" conduit to the Rhino Heavy Duty Bar



# WE SPECIALISE IN BRACKETS

A E R I A L



## MULTI-PURPOSE

**PART NO:** RMPB

BARS	USE
Rhino-Rack Heavy Duty	Aerial Lights



## AERIAL MOUNT KIT

**PART NO:** RAMK

BARS	USE
Rhino-Rack Heavy Duty	Aerial



## VORTEX AERIAL BRACKET

**PART NO:** S613

BARS	USE
Rhino-Rack Vortex	Aerial



## AERIAL MOUNT BRACKET KIT

**PART NO:** RABK

BARS	USE
Rhino-Rack Heavy Duty	Aerial



## BEACON MOUNTING PLATE

**PART NO:** RBP (to suit HD)

**PART NO:** SBP (to suit VA)

BARS	USE
Rhino-Rack Heavy Duty	Beacon Light



## RHINO BEACON PLATE-CAB BAR MOUNT

**PART NO:** RBP-CBM


BARS	USE
Rhino-Rack Heavy Duty	Beacon Light



## VORTEX WORK LIGHT BRACKET

**PART NO:** SWLB

BARS	USE
Rhino-Rack Vortex	Beacon Light



## LIGHT ANGLE BRACKET

**PART NO:** RLAB

BARS	USE
Rhino-Rack Heavy Duty	Lights



## HIGH LEVEL TAIL BRACKET

**PART NO:** RHLTL

BARS	USE
Rhino-Rack Vortex	Lights




## LIGHT MOUNT BRACKET

**PART NO:** RWLB

BARS	USE
Rhino-Rack Heavy Duty	Lights Aerials

We have a range of **all purpose plates** ideal for various applications such as setting up roof rack bars in custom configurations.

For specialist advice talk to your local Rhino-Rack dealer



**RHINO-RACK UNIVERSAL****PART NO:** 31111

BARS	AWNING
Rhino-Rack Vortex Heavy Duty Pioneer range	Most popular

**SUNSEEKER AWNING ANGLED DOWN BRACKET****PART NO:** 32127

BARS	AWNING
Rhino-Rack flush bars	Sunseeker

**RHINO-RACK VA/HD****PART NO:** 31108

BARS	AWNING
Rhino-Rack Vortex Heavy Duty	Foxwing

**RHINO-RACK VA/HD****PART NO:** 32114

BARS	AWNING
Rhino-Rack Vortex Heavy Duty	Sunseeker

**RHINO-RACK HD****PART NO:** 32102

BARS	AWNING
Rhino-Rack Heavy Duty	Sunseeker

**TRACKLANDER TRAY****PART NO:** 31104

BARS	AWNING
Tracklander	Foxwing

**RHINO-RACK EURO****PART NO:** 31105

BARS	AWNING
Rhino-Rack Euro Prorack P, Carac Thule (Square Bar)	Foxwing

**ARB/TJM TRAY****PART NO:** 31103

BARS	AWNING
ARB/TJM	Foxwing

**RHINO-RACK HD****PART NO:** 31102

BARS	AWNING
Rhino-Rack Heavy Duty	Foxwing

**SUNSEEKER AWNING ANGLED UP BRACKET****PART NO:** 32123

BARS	AWNING
Rhino-Rack flush bars	Sunseeker

**RHINO-RACK PIONEER TRAY****PART NO:** 43100

BARS	AWNING
Rhino-Rack Pioneer range	Foxwing + Sunseeker

**THULE ROOF RACKS****PART NO:** 31105

BARS	AWNING
Rhino-Rack Pioneer range	Foxwing

**FIXING BRACKET**

Part# A116B

- Right angle fastening bracket
- Hardware included

**Z SHAPE FITTING PLATE**

Part# C637

- Black powder coated steel
- 0.3" hardware required

**T SHAPE FITTING PLATE**

Part# C641

- Black powder coated steel
- 0.3" hardware required

**FLAT FITTING PLATE**

Part# C638

- Black powder coated steel
- 0.3" hardware required

**L SHAPE FLAT FITTING PLATE**

Part# C642

- Black powder coated steel
- 0.3" hardware required

**L SHAPE UPRIGHT FITTING PLATE**

Part# C640

- Black powder coated steel
- 0.3" hardware required

# Rhino-Rack

## Environmental Policy

Rhino-Rack Australia is committed to the protection of the environment and the reduction of environmental impacts from our operations. This commitment applies across the whole of our business covering the design, manufacture & distribution of motor vehicle roof racks and accessories. As part of this commitment Rhino-Rack Australia Pty Limited will:

- Comply with ISO 14001 the International Standard for Environmental Management Systems and with all applicable legal and regulatory requirements.
- Work to prevent pollution and to achieve continual improvement in environmental performance by having operating procedures necessary to identify, monitor and mitigate the impact of our operations on the environment.
- Establish programmes to achieve agreed environmental targets and objectives.
- Plan for and conduct site operations in a manner that safeguards health and safety whilst minimising environmental impacts.
- Communicate our environmental policy to employees, suppliers, contractors & other interested parties to encourage participation in achieving our environmental objectives.
- Promote this commitment by making this policy available to the public.

Visit our web site [www.rhinorack.com.au](http://www.rhinorack.com.au) / [www.rhinorack.co.nz](http://www.rhinorack.co.nz) / [www.rhinorack.com](http://www.rhinorack.com) for information on:

- Comprehensive Vehicle Fitting Guide
- Product range
- Your closest authorised Rhino-Rack dealer
- Latest news and information
- Installation instructions
- And much more!





# RHINO-RACK

AUSTRALIA  
[rhinorack.com.au](http://rhinorack.com.au)

USA  
[rhinorack.com](http://rhinorack.com)

NEW ZEALAND  
[rhinorack.co.nz](http://rhinorack.co.nz)



Like us on  
[facebook.com/RhinoRackUSA](https://facebook.com/RhinoRackUSA)



Watch us on  
[youtube.com/RhinoRackAustralia](https://youtube.com/RhinoRackAustralia)



FOLLOW  
[@rhinorackusa](https://instagram.com/rhinorackusa)